

MILCHMOBIL – MAKES YOUR MILK MOBILE



THE MILCHMOBIL MAKES YOUR MILK MOBILE

To provide calves in individual boxes or igloos with feed requires much time and effort. The MilchMobil from Förster-Technik facilitates feed mixing, heating, transport and dispense.

The milk trolleys from Förster-Technik are your „mobile milk filling station“. A considerable ease of work can be achieved and labor time can be significantly reduced during milk preparation and transport. The milk trolleys are distinguished by a solid stainless steel chassis with large air-filled tires. The easy-to-clean stainless steel milk tank, the high-capacity mixer as well as the milk heater facilitate rapid and optimum feed preparation.

Field-tested design

The milk trolley MilchMobil has been field-tested for many years. Four models with a capacity of 100 and 180 liters each are available.

- **Tank trolley**
To transport the milk
- **Mixing trolley**
To prepare milk powder feed
- **Heating trolley**
To heat the milk
- **Combi trolley**
With mixer and heating

Easy to clean

The horizontal tank combined with large radii enables easy access and cleaning.

Moreover, a 40 mm drain tap allows you to rapidly fill in the milk and completely drain the detergent residues.



Combi trolley 180 L

DISPENSING LIQUID FEED

Standard equipment

Each MilchMobil is equipped with an easily readable liter scale, thus facilitating feed preparation especially with milk powders. The thermometer is also part of the standard equipment.

Heating

The heating trolley ensures the correct output temperature of the milk thanks to a warm water bath installed below the milk tank. In this way, the milk fresh from the cow is gently kept to the desired temperature without becoming burnt.

Mixer



The powerful mixer of the mixing and Combi trolley ensures a homogeneous mixing result. The large mixer impeller prevents lump formation during the mixing process.

Options

Dosing pump



The battery-operated dosing pump allows you to simply and rapidly dispense the feed anywhere by means of the filling pistol.

Dosing pump with portion control



The dosing pump with portion control enables you to save time and increase the dosing accuracy. The required liter quantity can be selected via a selector switch and is dispensed at the push of a button.

Heat exchanger



With the heat exchanger cooled milk can be rapidly heated to drinking temperature.

Adapter kit

Thanks to the adapter kit the milk trolley MilchMobil can be easily connected to an automatic feeder, thus being used as a fresh milk container.

Tank lid

To keep the milk warm longer and to protect it from flies, all of the models can be equipped with a lid.



Tank trolley 100 L

MILCHMOBIL – MAKES YOUR MILK MOBILE



Technical Data

| ■ Tank sizes and dimensions: | | 100 liters | 180 liters |
|---------------------------------|----------------|-----------------|-----------------|
| Tank and mixing trolley | Length (in cm) | 95 | 140 |
| | Width (in cm) | 67 | 67 |
| | Height (in cm) | 100 | 110 |
| Heating and Combi trolley | Length (in cm) | 110 | 150 |
| | Width (in cm) | 67 | 67 |
| | Height (in cm) | 100 | 110 |
| ■ Electrical supply | | 100 Liters | 180 Liters |
| Mixing trolley / Combi trolley | Mixer | 0.37 kW / 230 V | 0.37 kW / 230 V |
| Heating trolley / Combi trolley | Heating | 3 kW / 400 V | 10 kW / 400 V |



Handed over by:

Please see our video under:
<http://milchmobil-video.foerster-technik.com>



Manufacturer:

Förster-Technik GmbH
 Gerwigstraße 25
 D-78234 Engen
 Tel.: +49 (0) 77 33 94 06-0
 Fax: +49 (0) 77 33 94 06-99
 E-Mail: info@foerster-technik.de
 Internet: www.foerster-technik.de

Specifications are subject to change without prior notice (11/2010)